MSD® Human Total PYY Kit

For quantitative determination in human serum and plasma

Alzheimer's Disease BioProcess Cardiac Cell Signaling Clinical Immunology Cytokines Hypoxia Immunogenicity Inflammation Metabolic

Catalog Numbers

Oncology Toxicology Vascular

Human Total PYY Kit		
Kit size		
1 plate	K151MPD-1	
5 plates	K151MPD-2	
25 plates	K151MPD-4	

Ordering information


MSD Customer Service Phone: 1-301-947-2085 Fax: 1-301-990-2776 Email: CustomerService@ mesoscale.com

Company Address

MESO SCALE DISCOVERY® division of Meso Scale Diagnostics, LLC. 9238 Gaither Road Gaithersburg, MD 20877 USA

www.mesoscale.com®

For Research Use Only. Not for use in diagnostic procedures.



Peptide-YY (PYY) is a 36-amino acid peptide secreted from the intestinal L-cells of the gastrointestinal tract in proportion to the caloric content of a meal. Plasma PYY levels rise within 15 minutes after starting to eat and plateau within approximately 90 minutes, remaining elevated for up to 6 hours.¹ Two endogenous forms, PYY(1-36) and PYY(3-36), are released into circulation; PYY(3-36) is the major form (60%) of PYY in gut mucosal endocrine cells and in the bloodstream. This form results from the cleavage of PYY by the enzyme dipeptidyl peptidase-IV (DPP-IV); it acts on neuropeptide Y (NPY) receptors in the CNS to mediate satiety within the hypothalamic arcuate nucleus.^{2,3} Exogenous administration of PYY(3-36) reduces energy intake and body weight in both humans and animals. Some studies have reported that obese individuals have lower basal fasting levels of PYY(3-36) and have a smaller rise in postprandial levels suggesting PYY may be a potential therapeutic target in obesity.¹⁻³

The MSD Human Total PYY assay measures PYY (1-36) and PYY (3-36) and is available on STREPTAVIDIN GOLD™ plates. This datasheet outlines the performance of the assay.


Assay Sensitivity

	PYY
LLOD (pg/mL)	68

The lower limit of detection (LLOD) is a calculated concentration based on a signal 2.5 standard deviations above the background (zero calibrator blank).

Typical Standard Curve

The following standard curve is an example of the wide dynamic range of the Human Total PYY assay.



	PYY	
Conc. (pg/mL)	Average Signal	%CV
0	138	8.2
47	176	6.3
94	254	3.1
188	480	3.5
375	1016	12.7
750	2958	3.5
1500	8810	4.9
3000	24 037	4.2





MSD Metabolic Assays

MSD Advantage

- > Multiplexing: Multiple analytes can be measured in one well using typical sample volumes of 25 μL or less without compromising speed or performance
- Large dynamic range: Linear range of up to five logs enables the measurement of native levels of biomarkers in normal and diseased samples without multiple dilutions
- Minimal background: The stimulation mechanism (electricity) is decoupled from the response (light signal), minimizing matrix interference
- > Simple protocols: Only labels bound near the electrode surface are excited, enabling assays with fewer washes
- Flexibility: Labels are stable, non-radioactive, and conveniently conjugated to biological molecules
- High sensitivity and precision: Multiple rounds of label excitation and emission enhance light levels and improve sensitivity

For a complete list of products, please visit our website at www.mesoscale.com.

References

- 1. Beglinger C, Degen L. Gastrointestinal satiety signals in humans--physiologic roles for GLP-1 and PYY? Physiol Behav. 2006 Nov 30;89(4):460-4.
- 2. Zac-Varghese S, et al. Translational studies on PYY as a novel target in obesity. Curr Opin Pharmacol. 2011 Dec;11(6):582-5.
- 3. De Silva A, Bloom SR. Gut Hormones and Appetite Control: A Focus on PYY and GLP-1 as Therapeutic Targets in Obesity. Gut Liver. 2012 Jan;6(1):10-20.

MESO SCALE DISCOVERY, MESO SCALE DIAGNOSTICS, DISCOVERY WORKBENCH, MULTI-ARRAY, MULTI-SPOT, QUICKPLEX, SECTOR PR, SECTOR, SECTOR HTS, SULFO-TAG, STREPTAVIDIN GOLD, www.mesoscale.com, SMALL SPOT (design), 96 WELL 1, 4, 7, & 10-SPOT (designs), 384 WELL 1 & 4-SPOT (designs), MSD, MSD (design), and SPOT THE DIFFERENCE are trademarks and/or service marks of Meso Scale Diagnostics, LLC.

For Research Use Only. Not for use in diagnostic procedures.

